Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(context adj3 switch$3) and (address with (PCI (peripheral$1 adj3 (component device)))) and (address near3 extension)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 08:04
L3	2	(thread$3 with (access$4 run$4 execut$3 writ$4 read$3) with (device (peripheral adj2 device) peripheral drive printer i/o pci)) same (((context thread$3) near3 (switch$3 chang$3)) with address$3 with (device (peripheral adj2 device) peripheral drive printer i/o pci))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 09:09
L4	0	(thread with (PCI (peripheral$1 adj3 (component device)))) same (context adj3 switch$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 08:13
L5	18	(thread with (PCI (peripheral$1 adj3 (component device)))) and (context adj3 switch$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 08:19
L6	8	(thread$3 with (access$4 run$4 execut$3 writ$4 read$3) with (device (peripheral adj2 device) peripheral drive printer i/o pci) with (associat$3 correspond$3) with address$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 09:14
L7	227	((thread$3 process processes) with (access$4 run$4 execut$3 writ$4 read$3) with (device (peripheral adj2 device) peripheral drive printer i/o pci) with (associat$3 correspond$3) with address$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 09:16
L8	212	((thread$3 process processes) with (access$4 run$4 execut$3 writ$4 read$3) with (device (peripheral adj2 device) peripheral drive printer pci) with (associat$3 correspond$3) with address$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 09:18
L9	0	((thread$3 process processes) with (access$4 writ$4 read$3) with (device (peripheral adj2 device) drive printer pci) with (associat$3 correspond$3) with (extension adj2 address$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 11:44
L10	3	((thread$3 process processes) with (access$4 writ$4 read$3) with (device (peripheral adj2 device) drive printer pci) with (associat$3 correspond$3) with extension with address$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 09:21
L11	0	((thread$3 process processes task$3) with (access$4 writ$4 read$3) with (device (peripheral adj2 device) drive printer pci) with (associat$3 correspond$3) with (extension adj2 address$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 11:45

L12	0	((thread$3 process processes task$3) with (access$4 writ$4 read$3) with (device peripheral drive printer pci) with (associat$3 correspond$3) with (extension adj2 address$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 11:46
L13	0	(((thread$3 process processes task$3) with (access$4 writ$4 read$3) with (device peripheral drive printer pci)) same ((associat$3 correspond$3) with (extension adj2 address$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 11:48
L14	241	(((thread$3 process processes task$3) with (access$4 writ$4 read$3) with (device peripheral drive printer pci)) same ((context thread$3 address$3 task$3 process processes state) with (switch$3 chang$3 modif$5))) and (multitask$3 multi-task$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 11:52
L15	38	(((thread$3 process processes task$3) with (access$4 writ$4 read$3) with (device peripheral drive printer pci)) same ((context thread$3 address$3 task$3 process processes state) with (switch$3 chang$3 modif$5))) same (multitask$3 multi-task$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 11:52

Web   Images   Groups^{New!}   News   Froogle   **more »**

Google [thread application access peripheral device a] [Search] Advanced Search
Preferences

○ Search the Web ◉ Search English pages

Web Results **21 - 30** of about **11,400** English pages for **thread application access peripheral device associate extension a**

The Complete Computer Resource
... serial port and a **Peripheral** Component Interconnect (PCI) SCSI controller).
... If you cannot **associate** the **device** to the driver module indicated in the ...
groups.msn.com/TheCompleteComputerResource/ stop0x000000eatostop0x00000012.msnw - 38k - Cached - Similar pages

compu2go.com...ultramobile computing & technology info for people ...
... between processor, host controller, and **peripheral device**." ... system and
the same basic **applications** such as datebook, **address** book, and notepad. ...
www.compu2go.com/features.html - 54k - Cached - Similar pages

[DOC] 1
File Format: Microsoft Word 2000 - View as HTML
... to keep several jobs advancing while keeping the **peripheral devices** in use.
... It consists of a program counter, a **register** set, and a set space. ...
www.niceindia.com/qbank/Operating_Systems.Doc - Similar pages

Technology Terminology
... A cable used to connect **peripheral devices** through a computer's parallel ...
Logical **address** of a communications **access** point to a specific **device** or ...
www.newton.mec.edu/bigelow/engineering_technology/ technoterms/technoterms_index.htm - 174k - Cached - Similar pages

ABBREVIATION DICTIONARY [Computer]
... Toolkit BAR base **address register** BASIC beginner's all-purpose symbolic ...
Peripheral Interface IPL Initial Program Load IrLAP infrared link **access** ...
www.geocities.co.jp/HeartLand-Icho/ 4112/Abbreviation/abbrev_e_COM.html - 40k - Cached - Similar pages

David Eurenius Computer Terms and Glossary
... Key Data (**device**) CLAR Channel Local **Address Register** CLASS Client **Access** to
... Compiler [IBM] IPI Intelligent **Peripheral** Interface IPL Initial Program ...
home.swipnet.se/eurenius_design/glossary.htm - 101k - Dec 14, 2004 - Cached - Similar pages

[PDF] DSP/BIOS **Device** Driver Developer's Guide
File Format: PDF/Adobe Acrobat - View as HTML
... standard mini-driver interface to **access peripheral** hardware **devices**. ...
To **register** an IOM mini-driver for use in a DSP/BIOS **application**, you ...
focus.ti.com/general/docs/lit/getliterature. tsp?literatureNumber=spru616&fileType=pdf - Similar pages

totse.com | BABEL: A Glossary of Computer- oriented Abbreviatio
... CKD Count Key Data (**device**) CLAR Channel Local **Address Register** ... PCI **Peripheral**
Component Interconnect [Intel] PC-I/O Program Controlled I/O ...
www.totse.com/en/technology/ computer_technology/babel95b.html - 163k - Cached - Similar pages

[PDF] The Sun Fire 15K Server for High Performance and Technical Markets
File Format: PDF/Adobe Acrobat - View as HTML
... The Sun Fire 15K server cabinet does not accommodate **peripheral devices**, ...
of creating a computing environment where data and **application access** is no ...
www.sun.com/servers/white-papers/ SunFire15K_HPCTechMkts.pdf - Similar pages

C

... called control characters because they frequently act to control a **peripheral device**. ... **access** by multiple **threads** or **applications** must be prevented. ...
www.unet.univie.ac.at/aix/aixuser/glossary/C.htm - 119k - Cached - Similar pages

◀ Goooooooooooogle ▶

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 101112   **Next**

| thread application access periphera | Search |

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google